Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Roserto A423.9 R31 NATIONAL AGRICULTURAL LIBRARY
RECEIVED

JUN 14 1973

M-316

PROCUREMENT SECTION CURRENT SERIAL RECORDS

ARS 81-14 February 1967

UNITED STATES DEPARTMENT OF AGRICULTURE Agricultural Research Service

LABORATORY TESTS WITH CANDIDATE BAIT TOXICANTS AGAINST THE IMPORTED FIRE ANT

By C. S. Lofgren 1/, C. E. Stringer 2/, W. A. Banks 1/, and P. M. Bishop 3/

During the course of an extensive search for an effective toxic bait for control of the imported fire ant, Solenopsis saevissima richteri (Forel), tests were conducted with a large number of chemicals. Lofgren and others reported on mirex (GC-1283)—the most promising of the toxicants tested to date. Stringer and coworkers described test procedures for evaluating toxicants. They pointed out that an effective toxicant must (1) possess the quality of a delayed killing action over at least a tenfold dosage range and preferably above a hundredfold dosage range, (2) be readily transferred from one ant to another and result in mortality of the recipient, and (3) not be repellent to ants.

Since most toxicants used in insect control programs require fast kill to reduce crop damage, it is understandable that most of the commercially available insecticides do not meet these requirements of a bait toxicant. However, because of the urgency for finding an effective bait toxicant, most of the commercially available insecticides were evaluated in a quantitative screening program. This report presents the results obtained in laboratory toxic bait tests with 334 candidate toxicants.

^{1/} Entomologists, formerly with Plant Pest Control Division, now with Entomology Research Division, ARS, USDA, Gainesville, Fla.

^{2/} Entomologist, Plant Pest Control Division, ARS, USDA, Gulfport, Miss.

^{3/} Agricultural Research Technician, Entomology Research Division, ARS, USDA, Gainesville, Fla. Formerly with PPCD.

^{4/} Lofgren, C. S., Stringer, C. E., and Bartlett, F. J. Imported fire ant toxic bait studies: GC-1283, a promising toxicant. J. Econ. Entomol. 55: 405-407. 1962.

^{5/} Stringer, C. E., Lofgren, C. S., and Bartlett, F. J. Imported fire ant toxic bait studies: Evaluation of toxicants. J. Econ. Entomol. 57: 941-945. 1964.

Procedures

The test chamber consisted of a modification of a commercially available small plastic flower pot with a rim (16 mm. in height and 63 mm. in diameter) at the top and three holes in the bottom. Immediately below the rim the diameter is reduced to 58 mm.; thus, the rim has a ridge 2.5 mm. wide. The pot tapers to 42 mm. at the bottom. The bottom is covered with a 1/4-inch layer of plaster of paris mixed with builder's cement (9 to 1 ratio). The cement-plaster of paris mixture is necessary to prevent the ants from constructing tunnels and escaping. Sufficient water is absorbed through the plaster of paris when the pots are placed on wet peat moss to provide required moisture essential for survival of the ants. The tops of the pots are covered with small plate glass disks that rest on the ridge between the rim and the tapered sides.

The ants used in the tests were collected in the field from the same general locality. The colony and a part of the mound were held in the laboratory in large galvanized tubs. Preliminary feeding tests were conducted during a 3day holding period to ascertain that the colony had not been overfed or starved. Twenty worker ants were placed in each test chamber the afternoon preceding the day of the test. The pretreatment transfer permitted time for recovery from effects of the CO₂ (used for immobilization) and for orientation to the container. The candidate insecticides, depending on the solubility of the chemical, were dissolved directly in the food material; that is, in peanut oil, peanut butter, or 10 percent sucrose solution. The toxic bait was offered to the ants on cotton plugs saturated with the material and placed in small vial lids. Chemicals insoluble in any of these baits were dissolved in acetone and admixed with peanut butter; the acetone was evaporated and the mixture placed in vial lids. In preliminary tests all chemicals were tested at concentrations of 1.0, 0.1, and 0.01 percent. All chemicals that gave complete kill at the lowest dosage were further tested until the lowest concentration that gave complete kill was determined.

Two procedures were followed in the evaluation of the toxicants:

- 1. The ants were allowed to feed as desired on the toxic bait for the entire 192-hour test period. Eight knockdown and mortality counts were made at 24-hour intervals.
- 2. The ants were allowed to feed as desired on the toxic bait during the first 24 hours. After this initial exposure period, the vial lids containing toxicants were removed from the cups, and the ants were kept without food for 24 hours. At the end of this period, new vial lids with peanut oil were placed in each chamber and left there for the remainder of the test. Eight knockdown and mortality counts were made at intervals of 1, 2, 3, 6, 8, 10, 13, and 14 days after exposure.

The change from test procedure 1 to procedure 2 was made to increase the certainty that any delayed kill observed was due to ingestion of the bait and that toxicants with a long delayed action would not be missed.

Bait toxicants were classified according to their effectiveness by the following system. Delayed toxicity is defined as less than 15 percent mortality after 24 hours and more than 89 percent mortality at the end of the test period.

Class I.--Compounds that give insufficient kill at the preliminary test concentrations (less than 90 percent kill at the end of the test period).

Class

Ia -- Maximum kill 0 to 29 percent.

Ib -- Maximum kill 30 to 59 percent.

Ic -- Maximum kill 60 to 89 percent.

Class II.—Compounds that kill too fast at the higher concentrations but give insufficient kill at the lower concentrations; that is, 15 percent or more kill after 24 hours and 90 to 100 percent at the end of the test period at the higher concentrations but less than 90 percent kill with the lower concentrations at the end of the test period.

Class

IIa -- Produced fast kill at 1.0 percent.

IIb -- Produced fast kill at 0.1 and 1.0 percent.

IIc -- Produced fast kill at 0.01, 0.1, and 1.0 percent.

Class III. -- Compounds that show delayed action over a one fold to nine fold do sage range.

Class

IIIa -- Delayed action occurred between 0.25 to 1 percent.

IIIb -- Delayed action occurred between 0.025 to 0.1 percent.

IIIc -- Delayed action occurred between 0.0025 to 0.01 percent.

Class IV. -- Compounds that show delayed action over a tenfold to ninety-ninefold dosage range.

Class V.--Compounds that show delayed action over a hundredfold or greater dosage range.

Results

The toxicants tested are listed in table 1. The mortality class is shown for each compound and the type of test used with each toxicant is also indicated in the table. A total of 334 chemicals were evaluated. The number in each class was as follows: Ia, 46; Ib, 52; Ic, 58; IIa, 35; IIb, 43; IIc, 15; IIIa, 22; IIIb, 22; IIIc, 33; IV, 7; and V, 1.

Table 1.--Toxicity of 33 † compounds in baits to imported fire ants ($^{\odot}$ indicates a registered trademark)

	Type test2/	Н	8	3/1	N	1 4/1	2 7 7	1 (N) 1 (1) 1 (1)	000	3/2	14/1 1 1 1	מחמח
	Mortality class	IIIa	IIIb	9 9 9	4	IIIa Ia	o B c	d I I I	4 1114	I I I	an I I I I I I	I I I I I I I I I I I I I I I I I I I
	Other designations $1/$	sesamex	Hooker HRS-1362				Maumee SD-5332	cacodylic acid		ovex	Dimite [®] - dicofol chlorobenzilate	Pentac Bulan ®
	Chemical name	Acetaldehyde, 2-(2-ethoxyethoxy)ethyl 3,4-	Acetamide, N-(1,1a,3,3a,4,5,5,5a,5b,6-decachlorooctahydro-2-hydroxy-1,3,4-metheno-	2H-cyclobuta[cd]pentalen-2-y1)- o-Acetanisidide, 2,2-dichloro Acetic acid, arsono-,trisodium salt Acetic acid, chloro-, pentachlorophenyl ester	Acetic acid, chloro-, 2,3,4,6-tetrachlorophenyl ester	m-Acetotoluidide, alpha, alpha, alpha-trifluoro-m-Acetotoluidide, alpha, alpha, alpha-trifluoro-h'-nitro-	o-Anisidine, 5-(ethylsulfonyl)- Anthranilic acid, ester with ethyl lactate	Arsine oxide, hydroxydimethyl- Benzamide, 3,4-dichloro-N-methyl-	Benzene, o-dibromo- Benzene, 1,2,4,5-tetrachloro-	Benzenearsonic acid, p-hydroxy- Benzenesulfonic acid, p-chloro-, p-chlorophenyl	Benzhydrol, 4,4'-dichloro-alpha-methyl-Benzhydrol, 4,4'-dichloro-alpha-(trichloromethyl)-Benzilic acid, 4,4'-dichloro-, ethyl ester Benzoic acid, 0-mercapto-, methyl ester	Benzonitrile, p-bromo- 1,2,3-Benzotriazin-4(3H)-one, 3-butyl- Bi-2,4-cyclopentadien-1-yl, decachloro- Butane, 1,1-bis(p-chlorophenyl)-2-nitro-
Tht cmclour	No. (ENT-)	20871	27040	32530 25368 19741	23376	13006 26187	17670 26180 25367	25369 9770	10009 1835 16050	14867 16538	9624 23648 18596 26181	488 26209 25718 18065
	Item No.	٦	N	m 4 m	9	8-4	9 10	13 51	17 17 17	17	20 20 20 20 20 20 20 20 20 20 20 20 20 2	25 4 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5

н	$\frac{3/2}{1}$	Н	N	П	8	0	0	Ч С	П	7 5	нчч	N	S	Н
Ic	Ic IIIa	IIIb	IIa	Ic	Ic	Ic	Ic	IC IIa	IIIb	Ic IIa	Ic IIb IIb	IIb	다	Ic
Dilan [©]	butonate	Stauffer R-2968	Stauffer R-5977	dimetan	dimetilan	Isolan®	${\tt Pyramat}^{\circledR}$	Hercules AC-5199 Stauffer R-6032	Stauffer R-3422	Mobam [®] Hercules 7522	Hercules 7522H Banol® Union Carbide UC-10854	Bayer 50282	Niagara NIA-10242	Hooker HRS-1422
Butane, 1,1-bis(p-chlorophenyl)-2-nitro-, and 1,1-bis(p-chlorophenyl)-2-nitropropane (2 to	l-Butanearsonic acid Butyric acid, ester with dimethyl (2,2,2-	Carbanic acid, 2-mercaptoethyl ester, S-ester with 0 0-diethyl phosphorodithicate	Carbamic acid, butyl-, 2[(mercaptomethyl)thio]= ethyl ester, S-ester with 0,0-dimethyl	Carbanic acid, dimethyl-, ester with 3-hydroxy-5.5-dimethyl-2-cyclohexen-1-one	Carbamic acid, dimethyl-, ester with 3-hydroxy-	Carbamic acid, dimethyl-, l-isopropyl-3-	methylpyrazol->-yl ester Carbamic acid, dimethyl-, 6-methyl-2-propyl-4-	Carbamic acid, dimethyl-, tetrahydrofurfuryl ester Carbamic acid, ethyl-, 2[(mercaptomethyl)thio]= ethyl ester, S-ester with 0,0-dimethyl	acid,	S-ester with U,U-dimethyl phosphorodithloate Carbamic acid, methyl-, benzo[b]thien-4-yl ester Carbamic acid, methyl-, 2-,4-, and 6-chloro-m-	र्व व व	Carbamic acid, methyl-, 4-(diallylamino)-3,5-	Aylyl ester Carbamic acid, methyl-, 2,3-dihydro-2,2-dimethyl- 7-benzofuranyl ester	Carbamic acid, methyl-, 3,5-diisopropylphenyl ester
18066	25366 20852	25661	25968	24728	25922	19060	19059	24977 25969	25801	27041 25711-X	25763 25736 25500	27109	27164	25780
27	28	30	31	32	33	34	35	36 37	38	39	14 14 143	††	45	94

Table 1.--Continued.

Type test=/	Н	Н	Ø	N	4/1	Н	п п	Н	
Mortality class	IIIa	IIa	IIa	Ic	IIb	Ic	IIb	IIb	IIID III B III B III B III B III C
Other designations1/	Matacil®	$ ext{Zectran}^{ ext{@}}$	Stauffer R-5976	Hooker HRS-1631	Bayer 32651	Bayer 37344	carbaryl Hercules 8717	Hercules 9699	toxaphene Shell SD-4092 mevinphos
Chemical name	Carbamic acid, methyl-, 4-(dimethylamino)-m-	Carbamic acid, methyl-, 4-(dimethylamino)-3,5-	Carbamic acid, methyl-, 2[(mercaptomethyl)thio]= ethyl ester, S-ester with 0,0-dimethyl	Carbamic acid, methyl-, o-[l-(methoxymethyl)= allyl phenyl ester		Carbamic acid, methyl-, μ -(methylthio)-3,5-xvlvl ester	Carbamic acid, methyl-, l-naphthyl ester Carbamic acid, methyl-, m-(2-propynyloxy)phenyl	Carbamic acid, methyl-, o-(2-propynyloxy)phenyl	Chlorinated camphene, chlorine content of 67-69% Cinnamic acid, alpha-acetyl-, methyl ester Coumarin, 7-(diethylamino)-4-methyl- m-Cresol, alpha,alpha,alpha-trifluoro- p-Cresol, 2-allyl-, acetate p-Cresol, 2-propenyl-, acetate p-Cresol, 2-propenyl- p-Cresol, 2-propyl- p-Cresol, 2-propy
Entomology No. (ENT-)	25784	25766	25967	27157	25777	25726	23969 25732	25810	9735 10027 18869 26185 10052 10064 10064 10064 24654 22374
Item No.	Lti	84	64	50	51	52	53 54	55	577 60 60 60 60 60 60 60 60 60 60 60 60 60

N	000	П	ч	ч	Ч 8	Н	н	N	Н	ч	2 7	N	N	ด ด
Ic	n n n	Ic	IIIa	H B	Ia	IIIb	IIc	IIIc	Ic	IIa	Ib IIa	ΛΙ	IV	I B
	General Chem.	0600	barthrin		- Velsicol 49-CS-53	endrin	dieldrin	aldrin	Shell SD-2653	Shell SD-3450	Monsanto CP-7768 II (mixture of CP-7769 and CP-7769 and CP-8810 - equinoler)	Ä	Shell 52-RL-71	
2,5-Cyclohexadien-l-one, 4-methyl-4-	Cyclohexane, 1,2-dichloro-4-(1,2-dichloroethyl)-Cyclohexene, 4-(1,3,3,3-tetrachloropropyl)-Cyclopropane, 1,1-dichloro-2,2-bis(p-	Cyclopropanecarboxylic acid, 2,2-dimethyl-3-(2-methylnyl)- 6-bromonineronyl ester			1 (1)	1,4:5,8-Dimethanonaphthalene, 1,2,3,4,10,10- hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-	octahydro-, endo,endo- 1,4:5,8-Dimethanonaphthalene, 1,2,3,4,10,10- hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-	l,4:5,8-Dimethanonaphthalene, 1,2,3,4,10,10-	1,4:5,8-Dimethanonaphthalene, 1,2,3,4,6,9,10,10-	1,4:5,8-Dimethanophthalazine, 5,6,7,8,9,9-hexachloro-1,4,4a,5,8,8a-hexahydro-, 2-oxide	m-Dioxane, 2-(3-cyclohexen-1-yl)-5,5-diethyl- Disulfide, p-chlorophenyl trichloromethyl, reaction product with triethyl phosphite	5,8-Epoxy-1,4-methanonaphthalene, 1,2,3,4,10,10-	2,7-Epoxy-3,6-methanooxireno[b]naphthalene, 3,4,5,6,9,9-hexachloro-la,2,2a,3,6,6a,7,7a-	Ethane, 1,1-dibromo-2,2-bis(p-bromopheny1)- Ethane, 1,1-dibromo-2,2-bis(p-chloropheny1)-
9625 (8970)	17729 17731 27085	21195	21557	21825	50125 15153	17251	16225	15949	23392	25582	32522 25022-X	22376	22377	4224 4223
69	70 71 72	73	77	75	77	78	4	80	81	82	83 84	85	98	87 88

Table 1.--Continued.

Type test2/	- a a a	α α	0 0 0 0 0	וט ט	ииииин	N N N N		
Mortality class	I is in the second of the seco	o o	D D B B B B B B B B B B B B B B B B B B	g B	88888	ឧឧឧដ	IIa	
Other designations1/	TDE		1)- 1)- DFDT methoxychlor	o,p'-DDT	octachlorodipropyl ether		General Chem. GC-3661 Bomyl®	
Chemical name	Ethane, 1,1-dichloro-2,2-bis(p-chlorophenyl)- Ethane, 1,1,1-tribromo-2,2-bis(p-bromophenyl)- Ethane, 1,1,1-tribromo-2,2-bis(p-chlorophenyl)- Ethane, 1,1,1-trichloro-2,2-bis(5-chloro-2-	<pre>methoxyphenyl)- Ethane, 1,1,1-trichloro-2,2-bis(3,5-dichloro-2- methoxyphenyl)- Ethane, 1,1,1-trichloro-2,2-bis(3,5-dichloro-4-</pre>	metnoxyphenyl/- Ethane, l,l,l-trichloro-2,2-bis(2,5-dimethoxyphenyl)- Ethane, l,l,l-trichloro-2,2-bis(3,4-dimethoxyphenyl)- Ethane, l,l,l-trichloro-2,2-bis(p-fluorophenyl)- Ethane, l,l.l-trichloro-2,2-bis(p-methoxyphenyl)-		Ethane, 1,1,1-trichloro-2,2-di-p-tolyl- Ethanol, 2-(allyloxy)- Ether, allyl p-tolyl Ether, benzyl 3-phenylpropyl Ether, 2-biphenylyl butyl Ether, bis(2,3,3,3-tetrachloropropyl)	Ether, alpha-(bromomethyl)benzyl propyl Ether, p-tert-butylphenyl phenyl Ether, p-chloro-alpha-methylenebenzyl methyl Formanilide	ρι	dimethyl phosphate
Entomology No. (ENT-)	4225 4221 4222 8372	8379	8373 8374 7576 1716	3983	1718 17635 10051 11671 2160 25456	10010 18170 10019 10026	24832 24833	
Item No.	89 90 92	93 94	95 96 97 98	100	101 102 103 104 105	107 108 109 110	111	

0	0 0 H 0	ı (V)	ч с	v 0	3/5	N	N	ч		2	N	Т	0	N	N	٦	Н
IIIb	B II B I	IIIc	Ta T	2 4	Ic	Га	E E	IIIc		Ib	IV	IIc	Ic	d d	IV	III	IIIb
General Chem. GC-8266	Bayer 31956	Amer. Cyan. 43064	pivalyl valone		Ansul 100	Hooker HB-18	Hooker HB-20	Bayer 38920		Hooker HB-19	Velsicol 52-CS-6 $^{\rm 44}$	heptachlor epoxide	Velsicol 49-CS-56	Velsicol 47-CS-116	nonachlor	chlordane	1-bromochlordene
Glycine, N-carboxy-, N-(1,1a,3,3a,4,5,5,5a,5b,6-decachlorooctahydro-1,3,4-metheno-2H-cyclobuta[cd]bentalen-2-v1) ethv1 ester	lenimine uorescent printing pigment , 1-(1-naphthyl)-2-sulfinyl	<pre>Imidocarbonic acid, (diethoxyphosphinothioyl)= dithio-, cyclic ethylene ester</pre>	dione, 2-pivaloyl-		Methanearsonic acid, disodium salt (60%), mixture with sodium chloride (22%) and arsenic oxide (0.5%) in water	6,9-Methano-2,4-benzodioxepin, 6,7,8,9,10,10-	6,9-Methano-2,4-benzodioxepin, 6,7,8,9,10,10-	6,9-Methano-3H-2,4-benzodioxepin, 6,7,8,9,10,10-	hexachloro-1,5,5a,6,9,9a-hexahydro-3-methyl-, chlorinated to contain 70% total chlorine	6,9-Methano-2,4-benzodioxepin, 6,7,8,9,10,10-	hexachloro-1,5,5a,6,9,9a-hexahydro-3-phenyl- 4,7-Methanoindan, 1,2-dibromo-4,5,6,7,8,8-	hexachloro-3a,4,7,7a-tetranydro-4,7-Methanoindan, 1,4,5,6,7,8,8-heptachloro-	4,7-Methanoindan, 4,5,6,7,8,8-hexachloro-1,2-	epoxy-3a,4,1,1a-retranyaro- 4,7-Methanoindan, 4,5,6,7,8,8-hexachloro- 3-1,77-+++	4,7-Methanoindan, 1,2,3,4,5,6,7,8,8-nonachloro-	4,7-Methanoindan, 1,2,4,5,6,7,8,8-octachloro-	4,7-Methanoindene, 1-bromo-4,5,6,7,8,8- hexachloro-3a,4,7,7a-tetrahydro-
27155	26610 26895-X 25619 24703	25809	1946	9103	24981-X	27062	27064	25700-X		27063	15156	25584	17713	27001	27005	9932	25960
113	114 115 116	118	911	121	122	123	124	125		126	127	128	129	130	131	132	133

Table 1.--Continued.

Item No.	Entomology No. (ENT-)	Chemical name	Other designations 1/ M	Mortality	Type test2/
134	27056	4,7-Methanoindene, dodecachloro-3a,4,7,7a-	Hooker HB-11	Ic	α
135	15152	terranyaro- 4,7-Methanoindene, 1,4,5,6,7,8,8-heptachloro-	heptachlor	IIIc	П
136	25562	<pre>3a,4,7,7a-tetrahydro- 4,7-Methanoindene, 4,5,6,7,8,8-hexachloro-l-</pre>	l-fluorochlordene	IIIc	т
137	15150	Illoro-3a,4,7,8-terranyaro-4,7-Methanoindene, 4,5,6,7,8,8-hexachloro-	Velsicol 48-CS-99	Ib	Ø
138	27002	<pre>3a,4,(,(a-tetrahydro- 4,7-Methanoinden-1-o1, 4,5,6,7,8,8-hexachloro- 32, 1, 7,7, totach-1-o1</pre>	1-hydroxychlordene	Ib	N
139	27003	4,7-Methanoinden-1-ol, 4,5,6,7,8,8-hexachloro-	Velsicol 48-CS-35	Ic	N
140	24880		isobenzan	IIIc	Н
141	27004	1,4-Methanonaphthalene-5,8-diol, 1,2,3,4,9,9-	Velsicol 48-CS-36	J.	Ø
142	25719	nexacnioro-1,4-dinyaro- 1,3,4-Metheno-2H-cyclobuta[cd]pentalene,	mirex	۸	Н
143	27154	acaccachioroccanyaro- 1,3,4-Metheno-2H-cyclobuta[cd]pentalene-2- levulinic acid, 1,1a,3,3a,4,5,5,5a,5b,6-	General Chem。 GC-9160	IIa	α
777	27153	<pre>decacniorooctanyaro-z-nyaroxy-, etnyi ester 1,3,4-Metheno-ZH-cyclobuta[cd]pentalen-2-ol, 1,1a,3,3a,4,5,5,5a,5b,6-decachlorooctahydro- 2 methyl</pre>	General Chem. GC-9287	IIIb	α
145	16391	1,3,4-Metheno-2H-cyclobuta[cd]pentalen-2-one,	Kepone [®]	IV	н
146	27055	1,3,4-Metheno-2H-cyclobuta[cd]pentalen-2-one, decachloroctahydro-, compound with diphenyl	Hooker HB-10	ıc	α
147 148 149 150	25274-X 25767 17611 17448	Methyl sulfide (40% by volume in Deobase) 4-Morpholineacetonitrile, <u>alpha</u> -methyl- Naphthalene, 2,3,6-trimethyl- 1-Naphthol, 2,4-dichloro-, acetate	Wyandotte W-24	ព្រះព	H H Ø Ø

IIIa	IIIa	Га	Ia	IIIb	Га	IIa	IIa	I B	83 T	රේ ස් ප් ට	IIIa	e e	TP	la Ia	Ic	Ic	Ic	dii.	la Ib	
		Hooker HB-8	Velsicol 52-CS-53	Shell SD-2774	Hooker HB-7	Shell SD-2801	Hercules 426	Velsicol 49-CS-51 endosulfan	Armour ARD-198	Velsicol 57-CS-41		Newphos #1			Bayer 41522		pentachlorophenol			
Nonanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9-	1-Nonanol, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,9,9-	2,5-Norbornadiene, 1,2,3,4,7,7-hexachloro-	2-Norbornene, 5-[(allylthio)methyl]-1,2,3,4,7,7-	2-Norbornene, 5-(bromomethyl)-1,2,3,4,7,7-	2-Norbornene, 1,2,3,4,7,7-hexachloro-5,6-	2-Norbornene, 1,2,3,4,7,7-hexachloro-5-	<pre>2-Norbornene, 1,4,5,6,7,7-hexachloro-5- (dichloromethr)</pre>	2-Norbornene, 1,2,3,4,7,7-hexachloro-5-phenyl-5-Norbornene-2,3-dimethanol, 1,4,5,6,7,7-	hexachloro-, cyclic sulfite 9-Octadecenylamine, N.N-dimethyl- Olesmide N.M-dimethyl- (80%) mixtume with	related amides (20%), mixture with related amides (20%)	hexachloro- Oxazole Fluorescor A	3-Pentenoic acid, 4-hydroxy-, methyl ester,	E 25		Phenol, 2,6-di-tert-butyl-4-nitro-, compound with butylamine		Phenol, pentachloro-		Phenol, 2,2'-thiobis[4-tert-butyl- Phenol, 4,4'-(2,2,2-trichloroethylidene)bis[2,6-	dichloro-
25487	23782	27054	27007	23393	27053	23394	23447	27006 23979	5734 26663_x	25525	26839	24978	17499	17446 17447	25768	17440	134	17304	17651 9772	
151	152	153	154	155	156	157	158	159	161	163	164	165	991	167 168	169	170	171	172	173 174	

- **0**- 10 1 01 0001 0 0000

N

N N N

Table 1.--Continued.

Chemical name	name	Other 1/	Mortality	Type/ test2/
38 37	Phenothiazine Phenoxathiin		Ic Ib	0 0
25609	Phosphinothioic acid, dimethyl-, O-[4- (methylthio)-m-tolyl] ester	Bayer 34098	IIc	4/1
24952	Phosphonic acid, carbonyldi-, tetraethyl ester, ethyl phenyl mercaptole	Monsanto CP-12376	IIIa	ч
27065	Phosphonic acid, (chloromethyl)-, cyclic diester with 1,4,5,6,7,7-hexachloro-5-norbornene-2,3-dimethanol	Hooker HB-21	g H	Ø
24831	Phosphonic acid, [1-(difluoromethyl)-2,2-difluoro-1-hydroxyethyl]-, diethyl ester	General Chem. GC-3562	IIc	п
24830		General Chem. GC-3561	IIc	п
54044		Monsanto CP-8574	IIa	ч
24695	Phosphonic acid, [(ethylthio)methylidyne]tri-, hexaethyl ester	Monsanto CP-7769	IIa	ч
24953	Phosphonic acid, (1-hydroxyviny1)-, dimethyl ester diethyl phosphate	Monsanto CP-12432	IIa	Н
24415	i.c	Monsanto CP-10502	IIa	П
24950-x		Monsanto CP-11901	IIb	ч
24951	Phosphonic acid, (mercaptomethylidyne)tri-, hexaethyl ester, S-ester with 0,0-diethyl phosphorothioate	Monsanto CP-11447	IIIa	п
19763	Phosphonic acid, (2,2,2-trichloro-1-hydroxy=ethyl)-, dimethyl ester	trichlorfon	IIIb	г
25835	•H 07	Stauffer B-10190	IIa	N
25765	Phosphonodithioic acid, ethyl-, S-p-tert- butylphenyl O-ethyl ester	Stauffer N-3051	IIIp	Н

N	н	N	N	N	N	N	2 4	Н	П	0	Н	Н	23	П	7	Ø
IID	IIIc	IIb	IIa	IIb	IIIc	IIa	IIb IIIc	IIa	IIa	IIc	IIb	IIb	IIIc	IIIc	IIIc	Ic
Stauffer N-4171	Stauffer N-2788	Stauffer N-4543	V-c 3-676	Bayer 51580	Monsanto CP-19203	Stauffer N-3727	V-c 3-665 DuPont 691	Stauffer B-8778	Stauffer B-8760	Monsanto CP-40115	Stauffer N-2230	Stauffer N-2404	Bayer 45556	Bayer 39193	Bayer 37289	Monsanto CP-40272
Phosphonodithioic acid, ethyl-, O-ethyl ester, S-ester with N-(2-mercaptoethyl)dimethane=	Phosphonodithioic acid, ethyl-, O-ethyl S-p-	Phosphonodithioic acid, ethyl-, O-isobutyl ester, S-ester with N-(mercaptomethyl)=	Phosphonodithioic acid, methyl-, S.S-dipropyl	Phosphonodithioic acid, methyl-, O-methyl ester, S-ester with 2-mercapto-N,N-	Phosphonodithioic acid, methyl-, O-methyl ester,	Phosphonodithioic acid, methyl-, O-methyl	Phosphonodithious acid, methyl-, dipropyl ester Phosphonothioic acid, (chloromethyl)-, O-ethyl	Phosphonothioic acid, (chloromethyl)-, O-isobutyl	0 0 0	Phosphonothioic acid, ethyl-, O-2-chloroethyl ester O-ester with p-hydroxybenzonitrile	othioic acid,	Phosphonothioic acid, ethyl-, O-(2-chloro-4-	Phosphonothioic acid, ethyl-, O-ethyl O-4-	hitro-m-toryl ester Phosphonothicic acid, ethyl-, 0-[2-(ethylthio)-	Phosphonothioic acid, ethyl-, 0-ethyl 0-2,4,5-	Fhosphonothioic acid, methyl-, 0-2-chloroallyl 0-p-nitrophenyl ester
27013	25713	27015	25980	25995	25977	25961	25978 25704	25758	25757	25869	25754	25755	25826	25702	25712	25785
191	192	193	194	195	196	197	198 199	200	201	202	203	204	205	206	207	208

Table 1.--Continued.

Item No.	Entomology No. (ENT-)	Chemical name	Other $^{ m l}$ designations $^{ m l}/$	Mortality class	Type test2/
500	25789	Phosphonothioic acid, methyl-, 0-2-chloroallyl 0- (alpha,alpha,alpha-trifluoro-4-nitro-m-tolyl) ester	Monsanto CP-40298	IIIc	0
210	25788	Phosphonothioic acid, methyl-, 0-4-chlorobutyl 0-(alpha,alpha,alpha-trifluoro-4-nitro-m-tolyl) ester	Monsanto CP-40296	IIa	CV
211	25714	Phosphonothioic acid, methyl-, 0-2,4-dichloro= phenyl 0-ethyl ester	Bayer 38333	IIb	H
212	25635	Phosphonothioic acid, methyl-, 0-2,4-dichloro=	Bayer 30911	IIIc	Н
213	25781	Phosphonothioic acid, methyl-, O-ethyl ester, O-ester with N-hydroxynaphthalimide	Bayer 39197	IIb	П
214	25616	10 10	Bayer 30749	IIIc	П
215	25617	Phosphonothioic acid, methyl-, 0-ethyl	Bayer 30750	IIb	Н
216	25614	Phosphonothioic acid, methyl-, Q-ethyl O-[thylthio] observed	Bayer 30468	IIIc	Н
217	25612	Phosphonothioic acid, methyl-, O-ethyl O-[p-(methylthio)phenyl] ester	Bayer 29952	IIIc	П
218	25615	Phosphonothioic acid, methyl-, O-methyl O-	Bayer 30554	IIIc	Н
219	25613	- 1 -	Bayer 30237	IIIc	Н
220	25787	Phosphonothioic acid, methyl-, O-p-nitrophenyl O-phenyl ester	Monsanto CP-40294	IIIc	0
221	25786	-5	Monsanto CP-40273	IIc	0
222	27066	·	Hooker HB-22	Ta T	CJ
223	17798	2,3-uimedianoi Phosphonothioic acid, phenyl-, <u>0</u> -ethyl <u>0-p</u> - nitrophenyl ester	EPN	IIc	Н

0 0	8	Q	Н	8	N	8	Т	ч	г	α	٦	Н	П	Ч	Н	П	Ч	0
IIa Ic	셤	IIIc	IIIc	IIc	II	Ic	IIIb	IIIb	IIb	IIb	IIIb	IIa	Па	IIIa	IIIc	IIIc	Ic	IIb
V-C 3-670 Stauffer B-10497	sr Stauffer B-10498	${ m Zytron}^{ m @}$	Bayer 34042	Shell SD-8949	Shell SD-8972	Shell SD-8988	Compound 4072	General Chem.	Bayer S 209	Shell 8447	naled	General Chem.	Geigy G-31528	Hercules 3895	Hercules 3004	Hercules 3653	General Chem.	GC-6506 Bidrin
Phosphonotrithioic acid, methyl-, dipropyl ester Phosphoramidothioic acid, [ethyl(2-	hydroxypropyl)thiocarbamoyl]-, 0,0-dimethyl ester Phosphoramidothioic acid, [(2-hydroxypropyl)=	methylthiocarbamoyl]-, 0,0-dimethyl ester Phosphoramidothioic acid, isopropyl-, 0-2,4-	Phosphoramidothioic acid, methyl-, O-ethyl	Phosphoric acid, 1-(Z-bromo-4,5-dichlorophenyl)-	Phosphoric acid, 1-(4-bromo-2,5-dichlorophney1)-	2-chlorovinyl dimethyl ester Phosphoric acid, 2-bromo-1-(2,4-dichlorophenyl)=	Œ	•		Phosphoric acid, 2-chloro-1-(2,4,5-		Almethyl ester Phosphoric acid, 2,2-dichloro-1-(2,5-	Phosphoric acid, 2,2-dichloro-1-(2-methoxy=	diethyl	hydroxyketone, diethyl mercaptole Phosphoric acid, diethyl 2-(ethylthio)-1-	methylvinyl ester Phosphoric acid, diethyl 1-methyl-2-	(methylthio)vinyl ester Phosphoric acid, dimethyl p-(methylthio)phenyl	ester Phosphoric acid, dimethyl ester, ester with 3-hydroxy-N.M-dimethyl-cis-crotonamide
25979 27034	27035	25647	25610	27019	27021	27043	24969	24968	24941	25841	24988	24967	25560-X	24729	24585	24586	25734	24482
224 225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243

Table 1.--Continued.

Item No.	Entomology No. (ENT-)	Chemical name	Other designations <u>l</u> /	Mortality class	Type test2/
244	23970	Phosphorochloridothioic acid, cyclic 0,0-diester	Union Carbide	IIb	г
245	25739	Phosphorodithioic acid, S-benzylidene 0,0-dimethyl ester	Shell SD-7438	IIb	г
246	25599 (25586)	بدر با	Methyl Trithion®	qIII	٦
247	25685	Phosphorodithioic acid, S-p-chlorophenyl 0,0-	Bayer 42524	IIb	ч
248	25596	. 🖭 🎅	Bayer 26405	IIIa	ч
545	27061	Phosphorodithioic acid, cyclic 0.0-diester with 1,4,5,6,7,7-hexachloro-5-norbornene-2,3-dimethanol	Hooker HB-17	Га	Ø
250	25554-X	Phosphorodithioic acid, S-[[(2,5-dichlorophenyl)=thio methyl 0.0-dimethyl ester (25% E.C.)	Geigy G-30494	IIIb	Н
251	25555-X	Phosphorodithioic acid, S-[[(3,4-dichlorophenyl)=thio methyl 0.0-diethyl ester (25% E.C.)	Geigy G-27365	IIIa	ч
252	22897	Phosphorodithioic acid, 0,0-diethyl ester, S,S-diester with 2,3-p-dioxanedithiol	dioxathion	IIb	ч
253	24954	ਰ	Monsanto CP-13206	IIa	ч
254	24652	Phosphorodithioic acid, 0,0-diethyl ester, Sester with N-isopropyl-2-mercaptoacetamide	Amer. Cyan. 18682	IIb	٦
255	25532	Phosphorodithioic acid, 0,0-diethyl ester, S-ester with N-(mercaptomethyl) bhthalimide	Stauffer R-1448	IIb	ч
256	27070	Phosphorodithioic acid, 0,0-diethyl ester, S-ester with mercapto-2-propanone, diethyl	Stauffer B-9323	IIa	N
257	24105	mercaptole Phosphorodithioic acid, 0.0-diethyl S-methylene ester	ethion	IIb	٦
258	24399	Phosphorodithioic acid, 0,0-diethyl S-1,4-oxathien-3-yl ester	Hercules 2032	q	ч

Н	0	α	2	П	N	ч	CV	8	2	П	ч	C	۷ ۲		ı –	ı -	I	Н
IIIc	IIc	II	Ic	eli P	IIa	IIIc	IIb	IIa	IIb	IIIb	IIIa	Ė	0 - 1 1 - 1))	i	IIIc
Amer. Cyan. 18706	Bayer 47043	dimethoate	Chipman RP-11783	Imidan®	Stauffer B-9627	Bayer 25316	Stauffer R-5724-A	Stauffer R-5723-A	Stauffer R-5722-A	Bayer 23453	Velsicol 58-CS-52	A 7073 G 20040	UCS 607	vac 3-00-	dicanthon	Nemacide®		coumaphos
Phosphorodithioic acid, 0,0-dimethyl ester, S-	Phosphorodithioic acid, 0,0-dimethyl ester, S-	Phosphorodithioic acid, 0,0-dimethyl ester, Seester with 2-mercapto-N-methylacetamide	Phosphorodithioic acid, 0.0-dimethyl ester, S-	Phosphorodithioic acid, 0,0-dimethyl ester, S-	Phosphorodithioic acid, 0,0-dimethyl ester, Seester with mercapto-2-propanone, diethyl	mercaptole Phosphorodithioic acid, 0,0-dimethyl S-[(5-nitro-	Phosphorodithioic acid, 0-ethyl 0-isopropyl ester,	S-ester with N-(mercaptomethyl)phthalimide Phosphorodithioic acid, O-ethyl O-methyl ester,	Phosphorodithio, acid, 0-chyl O-propyl ester,	S 0	ethyl 0,0-dimethyl ester Phosphorodithioic acid, S-[2-[[(1,4,5,6,7,7-	methylethyl] O.O-dimethyl ester Decahonodithicioneid	ester, S-ester with N-(mercaptomethyl)phthalimide	Phosphorothioic acid, O-methyl 2,2-u.propyl Phosphorothioic acid O-diethyl O-n-mitrophemyl			6 2 4 2 2	Phosphorothioic acid, 0.0-diethyl ester, 0-ester with 3-chloro-7-hydroxy-4-methylcoumarin
25506	25827	24650-X	27110	25705	27072	25703	25866	25865	25864	24869	25820	49830	2 C 0 0 1 C	15108	17035	17470) -	17957
259	260	261	262	263	264	265	566	267	268	269	270	140	27.0	273	212	7.7.6	1	276

Table 1.--Continued.

Item	Entomology No.	Chemical name	1	Mortality	Type/
No.	(BNT-)		designations='	class	test=/
277	24653	Phosphorothioic acid, 0,0-dimethyl ester, S-ester with 2-(mercaptomethyl)-5-methoxy-4H-pyran-4-one	endothion	IIIa	3/1
278	24948	Phosphorothioic acid, 0,0-diethyl S-pentachloro-	Monsanto CP-11903	Ic	٦
279	54643	Phosphorothioic acid, 0,0-diethyl S-2-propynyl ester	Monsanto CP-11549	IIIb	Ч
280	Z+1964-X	Phosphorothioic acid, S-[2-(ethylsulfinyl)ethyl] 0,0-dimethyl ester (25% E.C.)	oxydemetonmethyl	IIa	Ч
281	24970	acid,	Bayer 22408	IIIc	ч
282	24980-X	Phosphorothioic acid, S-[2-(diethylamino)ethyl]	Chipman 6200	IIIc	3/1
283	25540	Phosphorothioic acid, 0,0-dimethyl 0-[4-	fenthion	IIb	Н
284	25553-X	Phosphorothioic acid, S-[[(2,5-dichlorophenyl)= thiolmethyl] 0.0-diethyl ester (25% E.C.)	Geigy G-32500	Ic	Н
285	25557-X	Phosphorothioic acid, 0,0-diethyl 0-3-methyl- pyrazol-5-vl ester (25% E.C.)	Pyrazothion [®]	IIIb	Ч
286	25568	Phosphorothioic acid, 0,0-dimethyl S-[2-(methylsulfinyl)ethyl] ester	Bayer 24498	IIa	Т
287	25611	Phosphorothioic acid, 0.0-diethyl ester, 0-ester with 3-(hydroxymethyl)-1,2,3-	Bayer 25660	IIb	ч
288	25636	benzotriazin-4(3H)-one Phosphorothioic acid, 0,0-diethyl 0-[4- methylthio)-m-tolyl] ester	Bayer 29492	IIIc	н
289	25673	Phosphorothioic acid, 0,0-diethyl 0-[4-	Bayer 37341	IIb	٦
290	25674	Phosphorothioic acid, S-[2-(ethylsulfinyl)-l-methylethyl] 0 0-dimethyl ester	Bayer 23655	음	٦
291	25675	Phosphorothioic acid, 0,0-dimethyl ester, 0-	Bayer 34727	IIc	ч
292	25684	Phosphorothioic acid, 0,0-dimethyl 0-[4-(methylthio)-3,5-xylyl] ester	Bayer 37342	IIa	ч

ч	Н	Н	Н	N	8	0	2	Н (0 0	2/ <u>2</u>	⊣		0	CU C	N N		_	1/7	2/5		4/1	I	Н
IIb	IIa	IIIc	IIc	IIc	IIa	IIc	Ic	Ic	H H	10	> T		Ia	d T	Ic I		۲	a & 1 ⊢ ⊦	ದ		ц Б		IIb
Stauffer R-1505	Stauffer R-1571	Bayer 41831	Bayer 45432	Bayer 47940	Bayer 45515	Durs ban [®]		Prolan®	Hooker HRS-229	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Hooker HKS-1243							sabadilla	Ansul 200		Kryocide	Super-seventy (72% cryolite)	malathion
Phosphorothioic acid, 0,0-diethyl ester, S-ester	Phosphorothioic acid, 0,0-dimethyl ester, S-	Phosphorothioic acid, 0,0-dimethyl 0-4-nitro-		Phosphorothioic acid, 0,0-dimethyl ester, 0-	Phosphorothioic acid, 0,0-dimethyl 0-m-	Phosphorothioic acid, 0,0-diethyl 0-3,5,6-			Propane, octachloro-	L-Fropanearsonic acid	L,2-Fropanediol, 3-[(1,1a,3,3a,4,4,7a,7a,5b,6- decachlorooctahydro-2-hydroxy-1,3,4-metheno-	2H-cyclobuta[cd]pentalen-2-yl)oxy]-		Propionanilide, 4'-bromo-	Fropionic actu, 5-12,4,0-crimeonyiphenyi/- Powdered thermaplastic melamine-sulfonamide-	formaldehyde resin impregnated with soluble	fluorescent dyes Rotenone	Sabadilla seed, powdered	Sodium, [(dimethylarsino)oxy]-, As-oxide (31%), mixture with sodium chloride ($\overline{42\%}$), disodium	methylarsonate (4.5%) and arsenic oxide (0.6%)	Sodium hexafluoroaluminate (72%)		Succinic acid, mercapto-, diethyl ester, \overline{S} -ester with \overline{O} , \overline{O} -dimethyl phosphorodithioate
25706	25707	25715	25776	25837	25923	27311	32685	22784	27068	22304	25.(T.(,	17637	17677	26852-X		133	123	X-20K-2		24984-X		17034
293	294	295	296	297	298	299	300	301	302	303	304		305	306	308		300	310	311		312		313

Type test2/	5	٦	2 1		ч	Н	0	П	8	8	2	П	7	٦	٦	~	П	٦ (1 0	2
Mortality class	IIb	IIIa	8 H H		압	Ic	Ic	Ic	TIIB	Ic	Ic	IIIa	IIa	IIIa	압	Ic	Ia	I IC	LIIB	Га
Other designations 1/	Stauffer N-2793	lauseto neu	Sulphenone [©] Aramite [®]	(Strobane®	Bayer 29852	Velsicol 57-CS-5	Geigy G-31987	Du⊤er®								Bayer 31757		thiourea	xan thone
Chemical name	Succinic acid, mercapto-, diethyl ester, S-ester with O-ethyl ethylphosphonodithioate	Sulfone, chloromethyl p-chlorophenyl	Sulfone, p-chlorophenyl phenyl Sulfurous acid, 2-(p-tert-butylphenoxy)isopropyl	2-chloroethyl ester	Terpene polychlorinates (65% chlorine)	2H-1,3,5-Thiadiazine-3(4H)-acetic acid, dihydro-5-methyl-6-thioxo-	Thiocyanic acid, (1,4,5,6,7,7-hexachloro-2,5-norbornadien-2-yl)methyl ester	Thiocyanic acid, 2-hydroxypropyl ester, dimethylcarbamate (25% E.C.)	Tin hydroxytriphenyl-	Tinopal PCR fluorescent brightening agent	Tinopal SFG fluorescent brightening agent	Toluene, 4-chloro-alpha, alpha, alpha-trifluoro-3-	m-Toludine, 6-chloro-alpha, alpha, alpha-trifluoro-	m-Toluidine, alpha, alpha, alpha-trifluoro-	m-Toluidine, alpha, alpha, alpha-trifluoro-4-nitro-	o-Toluidine, alpha, alpha, alpha-trifluoro-	p-Toluidine, N-(p-chlorophenyl)-alpha, alpha, alpha trifluoro-2-nitro-	p-Toluidine, alpha, alpha, alpha-trifluoro-2-nitro-	Urea, thio-	Xanthen-9-one
Entomology No. (ENT-)	27009	8607	17941 16519	·	19442	25778	25526	25559-X	28009	26853-X	26854	26184	26183	7422	26188	26182	25618	26186 17193	3582	1.1
Item No.	314	315	316 317		318	319	320	321	322	323	324	325	326	327	328	329	330	331	333	334

1/ Mention of a proprietary product in this publication does not constitute a guarantee or warranty of the product by the U. S. Department of Agriculture nor imply its approval by the Department to the exclusion of other products that may also be suitable.


2/ Unless indicated otherwise, toxicants were tested in peanut oil bait. No. 1 indicates test with continuous access to bait throughout test, and No. 2 indicates 24-hour access to bait. 3/ Toxicant was tested in 10 percent sugar water. Toxicant was tested in peanut butter.

Entomolo (ENT-)	gy No.	Item No.	Entomolo (ENT-)	ogy No.	Item No.
37		176	10060		62
38		175	10061		65
77	(xanthone)	334	10064		63
123	(sabadilla)	310	11671		104
133	(rotenone)	309	13006		7
134	(pentachlorophenol)		14867		17
152		68	15108	(parathion)	273
488		23	15150	(Velsicol 48-CS-99)	137
1716	(methoxychlor)	98	15152	(heptachlor)	135
1718		101	15153	(Velsicol 49-CS-53)	77
1835		15	15156	(Velsicol 52-CS-64)	127
1946	(pivalyl valone)	119	15949	(aldrin)	80
2160		105	16050	(16
3582	(thiourea)	333	16225	(dieldrin)	79
3983	(o,p'-DDT)	100	16391	(Kepone [®])	145
4221		90	16519	(Aramite®)	317
4222		91	16538	(ovex)	18
4223		88	17034	(malathion)	313
4224	(mpg)	87	17035	(dicapthon)	274
4225	(TDE)	89	17193	(- 7-2-2-)	332
4847	(A ADD 309)	99	17251	(endrin)	78
5734	(Armour ARD-198)	161	17304		172
7422	(DEDM)	327	17440 17446		170 167
7576	(DFDT)	97	17447		168
8372		92 9 5	17448		150
8373 8374		95 96	17470	(Nemacide [®])	275
8378		94	17499	(Nemacide)	166
8379		93	17611		149
8607	(lauseto neu)	315	17635		102
9103	(Tause co neu)	121	17637		305
9624	(Dimite [®])	19	17638		307
9625(89	•	69	17651		173
9735	(toxaphene)	56	17670		9
9770	(0000000,	13	17677		306
9772		174	17713	(Velsicol 49-CS-56)	129
9932	(chlordane)	132	17 7 29		70
10007	·	120	17731		71
10009		1 1	17798	(EPN)	223
10010		107	17941	(Sulphenone [®])	316
10019		109	17957	(coumaphos)	276
10026(10	089)	110	18065	(Bulan®)	26
10027		57	18066	(Dilan [®])	27
10051		103	18170	, -	108
10052		60	18596	(chlorobenzilate)	21
10054		61	18869	(=	58
10059		64	19059	(Pyramat [®])	35

Entomolo (ENT-)		tem No.	Entomolo (ENT-)	gy No.	Item No.
(11/1-)	<u> </u>	JCIII 110 .	(101/1-)		Toch No.
19060	(Isolan [®])	34	24941	(Bayer S-209)	234
19442	(Strobane [®])	318	249 4 8	(Monsanto CP-11903)	278
19741		5	24949	(Monsanto CP-11549)	279
19763	(trichlorfon)	188	24950-X	(Monsanto CP-11901)	186
20852	(butonate)	29	24951	(Monsanto CP-11447)	187
20871	(sesamex)	1	24952	(Monsanto CP-12376)	178
21195		73	24953	(Monsanto CP-12432)	184
21557	(barthrin)	74	24954	(Monsanto CP-13206)	253
21825		75	24964-X	(oxydemetonmethyl)	280
22374	(mevinphos)	67	24967	(Gen. Chem. GC-3582)	
22376	(Shell 52-RL-45)	85	24968	(Gen. Chem. GC-3583)	
22377	(Shell 52-RL-71)	86	24969	(Compound 4072)	232
22784	(Prolan [®])	301	24970	(Bayer 22408)	281
22897	(dioxathion)	252	24977	(Hercules AC-5199)	36
23376		6	24978	(Newphos #1)	165
23392	(Shell SD-2653)	81	24980-X	(Chipman 6200)	282
23393	(Shell SD-2774)	155	24981-X	(Ansul 100)	122
23394	(Shell SD-2801)	157	24982-X	(Ansul 200)	311
23447	(Hercules 426)	158	24984-X	(Kryocide Super-	³¹²
23648	(dicofol)	20		seventy 72% cryoli	
23782		152	24988	(naled)	236
23969	(carbaryl)	53	25022-X	(Monsanto CP-7768)	84
23970	(Union Carbide	244	25274-X		147
	UC-8305)	- (-	25364		303
23979	(endosulfan)	160	25366		28
24044	(Monsanto CP-8574)	182	25367		11
24105	(ethion)	257	25368	/	4
24399	(Hercules 2032)	258	25369	(cacodylic acid)	12
24415	(Monsanto CP-10502)	185	25456	(octachlorodipropyl	106
24482	(Bidrin®)	243	051.05	ether)	1.53
24585 24586	(Hercules 3004)	240	25487	/m.: a	151 43
24500 24650 - X	(Hercules 3653)	241 261	25500	(Union Carbide UC-10854)	43
24650-X 24652	(dimethoate) (Amer. Cyan. 18682)	254	25506	(Amer. Cyan. 18706)	259
24653			25506	(Velsicol 57-CS-41)	163
24654	(endothion) (Shell SD-4092)	277 66	25525 25526	(Velsicol 57-CS-5)	320
24689	(Bayer 23453)	269	25532	(Stauffer R-1448)	255
24695	(Monsanto CP-7769)	183	25540	(fenthion)	283
24703	(Monsaireo CI= 09	117	25553-X	(Geigy G-32500)	284
24728	(dimetan)	32	25554-X	(Geigy G-30494)	250
24729	(Hercules 3895)	239	25555-X	(Geigy G-27365)	251
24830	(Gen. Chem. GC-3561)	181	25557-X	(Pyrazothion®)	285
24831	(Gen. Chem. GC-3562)	180	25559-X	(Geigy G-31987)	321
24832	(Gen. Chem. GC-3661)	111	25560-X	(Geigy G-31528)	238
24833	(Bomyl®)	112	25562	(1-fluorochlordene)	136
24869	(Bayer 23453)	269	25568	(Bayer 24498)	286
24880	(isobenzan)	140	25582	(Shell SD-3450)	82


Entomolo (ENT-)		em No.	Entomolo (ENT-)	ogy No.	Item No.
25584	(heptachlor epoxide)	128	25763	(Hercules 7522H)	41
25596	(Bayer 26405)	248	25765	(Stauffer N-3051)	190
25599	(Methyl Trithion®)	246	25766	(Zectran [®])	48
25609	(Bayer 34098)	177	25767	(Wyandotte W-24)	148
25610	(Bayer 34042)	228	25768	(Bayer 41522)	169
25611	(Bayer 25660)	287	257 7 6	(Bayer 45432)	296
25612	(Bayer 29952)	217	25777	(Bayer 32651)	51
25613	(Bayer 30237)	219	25778	(Bayer 29852)	319
25614	(Bayer 30468)	216	25780	(Hooker HRS-1422)	46
25615	(Bayer 30554)	218	25781	(Bayer 39197)	213
25616	(Bayer 30749)	214	25784	(Matacil®)	47
25617	(Bayer 30750)	215	25785	(Monsanto CP-40272)	208
25618	(Bayer 31757)	330	25786	(Monsanto CP-40273)	221
25619	(Bayer 31956)	116	25787	(Monsanto CP-40294)	220
25635	(Bayer 30911)	212	25788	(Monsanto CP-40296)	210
25636	(Bayer 29492)	288	25789	(Monsanto CP-40298)	209
25647	(Zytron®)	227	25801	(Stauffer R-3422)	38
25661	(Stauffer R-2968)	30	25809	(Amer. Cyan. 43064)	118
25673	(Bayer 37341)	289	25810	(Hercules 9699)	55
25674	(Bayer 23655)	290	25820	(Velsicol 58-CS-52)	270
25675	(Bayer 34727)	291	25821	(V-C 3-607)	272
25684	(Bayer 37342)	292	25826	(Bayer 45556)	205
25685	(Bayer 42524)	247	25827	(Bayer 47043)	260
25700-X	(Bayer 38920)	125	25835	(Stauffer B-10190)	189
25702	(Bayer 39193)	206	25837	(Bayer 47940)	297
25703	(Bayer 25316)	265	25841	(Shell 8447)	235
25704	(DuPont 691)	199	25864	(Stauffer R-5722-A)	268
25 7 05	(Imidan [®])	263	25865	(Stauffer R-5723-A)	267
25706	(Stauffer R-1505)	293	25866	(Stauffer R-5724-A)	266
25707	(Stauffer R-1571)	294	25867	(Stauffer R-5725-A)	271
25711 - X	(Hercules 7522)	40	25869	(Monsanto CP-40115)	202
25712	(Bayer 37289)	207	25922	(dimetilan)	33
25713	(Stauffer N-2788)	192	25923	(Bayer 45515)	298
25 71 4	(Bayer 38333)	211	25960	(1-bromochlordene)	133
25 7 15	(Bayer 41831)	295	25961	(Stauffer N-3727)	197
25717	(Hooker HRS-1243)	304	25967	(Stauffer R-5976)	49
25 7 18	(Pentac)	25	25968	(Stauffer R-5977)	31
25719	(mirex)	142	25969	(Stauffer R-6032)	37
25726	(Bayer 37344)	52	25977	(Monsanto CP-19203)	196
25732	(Hercules 8717)	54	25978	(V-C 3-665)	198
25734	(Gen. Chem. GC-6506)	242	25979	(V-C 3-670)	224
25736	(Banol [®])	42	25980	(V-C 3-676)	194
25739	(Shell SD-7438)	245	25995	(Bayer 51580)	195
25754	(Stauffer N-2230)	203	26180	(Maumee SD-5332)	10
25755	(Stauffer N-2404)	204	26181		22
25757	(Stauffer B-8760)	201	26182		329
25758	(Stauffer B-8778)	200	26183		326

Entomolog(ENT-)		em No.	Entomolo (ENT-)	gy No.	Item No.
26184 26185 26186 26187 26188 26209 26610 26663-X 26839 26852-X 26853-X 26854 26895-X 27001 27002 27003 27004 27005 27006 27007 27009 27013 27015 27019 27019 27019 27019 27019 27019 27019 27019 27055 27040 27041 27043 27053 27054 27055 27066 27061 27062 27063 27064 27065 27066 27066 27068 27068 27068 27068 27070 27072 27085 27109 27110	(Welsicol 47-CS-116) (1-hydroxychlordene) (Velsicol 48-CS-35) (Velsicol 48-CS-36) (nonachlor) (Velsicol 49-CS-51) (Velsicol 52-CS-53) (Stauffer N-2793) (Stauffer N-4171) (Stauffer N-4543) (Shell SD-8949) (Shell SD-8972) (Stauffer B-10497) (Stauffer B-10498) (Hooker HRS-1362) (Mobam®) (Shell SD-8988) (Hooker HB-7) (Hooker HB-10) (Hooker HB-11) (Hooker HB-12) (Hooker HB-19) (Hooker HB-19) (Hooker HB-20) (Hooker HB-20) (Hooker HB-21) (Hooker HB-22) (Stauffer B-9323) (Stauffer B-9627) (Gen. Chem. GC-6593) (Bayer 50282) (Chipman RP-11783)	325 59 331 8 328 24 114 162 164 308 323 115 130 138 139 141 131 159 154 191 193 225 226 239 231 156 153 156 153 156 153 156 153 156 157 158 158 159 156 157 158 158 158 158 158 158 158 158	27153 27154 27155 27157 27164 27311 28009 32522 32530 32685 50125	(Gen. Chem. GC-928 (Gen. Chem. GC-916 (Gen. Chem. GC-826 (Hooker HRS-1631) (Niagara NIA-10242 (Dursban®) (DuTer®)	0) 143 6) 113 50





Pesticides used improperly can be injurious to man and animals. Use them only when needed and handle them with care. Follow the directions and heed all precautions on the labels.



U.S. DEPARTMENT OF AGRICULTURE